

HOSPI LIGHT INDIA

Manufacture Of Surgical Lights

AN ISO 9001 : 2015, OHSAS 18001-14001
GMP CERTIFIED COMPANY



Our Brands



HOSPI LIGHT INDIA

Manufacture Of Surgical Lights

AN ISO 9001 : 2015, OHSAS 18001-14001
GMP CERTIFIED COMPANY



Our Brands



A -87 Budh Vihar Main Khanjrawalan Road
Near Hero Bike Showroom Delhi 110086

☎ 9810715757. 9810815757. 9710715757

✉ hospilights@gmail.com 🌐 www.hospilites.in

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI PARI'S 80 + 80



Technical Specification

Lux Power Intensity	: 1,80,000 + 1,80,000
Color Rendering Index	: 95
Number of led	: 80+80
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle

LED MAKE OSRAM
Imported German HD LENS used



OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI PARI'S 80



Technical Specification

Lux Power Intensity	: 1,80,000
Color Rendering Index	: 95
Number of led	: 80
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle : Narrow focus technology using here

LED MAKE OSRAM

Imported German HD LENS used



OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

HOSPI PARI'S M 80

**ALUMINIUM
BODY COMPLETE**



Technical Specification

Lux Power Intensity	: 1,80,000
Color Rendering Index	: 95
Number of led	: 80
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle : Narrow focus technology using here

LED MAKE OSRAM

Imported German HD LENS used

OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI PARI'S 80



Technical Specification

Lux Power Intensity	: 1,80,000
Color Rendering Index	: 95
Number of led	: 80
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle
	: Narrow focus technology using here

LED MAKE OSRAM
Imported German HD LENS used



OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI PARI'S 48 + 48



Technical Specification

Lux Power Intensity	: 1,60,000 + 1,60,000
Color Rendering Index	: 95
Number of led	: 48+48
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle

LED MAKE OSRAM
Imported German HD LENS used



OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI PARI'S 48



Technical Specification

Lux Power Intensity	: 1,60,000
Color Rendering Index	: 95
Number of led	: 48
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle : Narrow focus technology using here

LED MAKE OSRAM

Imported German HD LENS used



OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

HOSPI PARI'S M 48



Technical Specification

Lux Power Intensity	: 1,60,000
Color Rendering Index	: 95
Number of led	: 48
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle : Narrow focus technology using here

LED MAKE OSRAM

Imported German HD LENS used

OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

HOSPI PARI'S 48

**ALUMINIUM
BODY COMPLETE**



Technical Specification

Lux Power Intensity	: 1,60,000
Color Rendering Index	: 95
Number of led	: 48
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle
	: Narrow focus technology using here

LED MAKE OSRAM
Imported German HD LENS used



OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA

Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HEX 4+4 HD



Technical Specification

Lux Power Intensity	: 1,50,000 + 1,50,000
Color Rendering Index	: 95
Number of led	: 48+48
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle

LED MAKE OSRAM

OPERATED BY REMOTE CONTROL



Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HEX 4 HD



Technical Specification

Lux Power Intensity	: 1,50,000
Color Rendering Index	: 95
Number of led	: 48
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle : Narrow focus technology using here



LED MAKE **OSRAM**

OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

HEX M4 HD

**ALUMINIUM
BODY COMPLETE**



Technical Specification

Lux Power Intensity	: 1,50,000
Color Rendering Index	: 95
Number of led	: 48
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle : Narrow focus technology using here

LED MAKE **OSRAM**

OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA

Manufacture Of Surgical Lights


**ALUMINIUM
BODY COMPLETE**

HEX 4 HD



Technical Specification

Lux Power Intensity	: 1,50,000
Color Rendering Index	: 95
Number of led	: 48
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle
LED MAKE OSRAM	: Narrow focus technology using here



OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA

Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI HEX 5+5 HD



Technical Specification

Lux Power Intensity	: 1,80,000 + 1,80,000
Color Rendering Index	: 95
Number of led	: 60+60
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle

LED MAKE OSRAM

OPERATED BY REMOTE CONTROL



Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI HEX 5 HD



Technical Specification

Lux Power Intensity	: 1,80,000
Color Rendering Index	: 95
Number of led	: 60
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle : Narrow focus technology using here



LED MAKE **OSRAM**

OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

HOSPI HEX M5 HD

**ALUMINIUM
BODY COMPLETE**



Technical Specification

Lux Power Intensity	: 1,80,000
Color Rendering Index	: 95
Number of led	: 60
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle : Narrow focus technology using here

LED MAKE **OSRAM**

OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI HEX 5HD



Technical Specification

Lux Power Intensity	: 1,80,000
Color Rendering Index	: 95
Number of led	: 60
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle
LED MAKE OSRAM	: Narrow focus technology using here



OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI VISION 4+4 HD



Technical Specification

Lux Power Intensity	: 1,60,000 + 1,60,000
Color Rendering Index	: 95
Number of led	: 48+48
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle

LED MAKE OSRAM
Imported German HD LENS used



OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI VISION 4 HD




Technical Specification

Lux Power Intensity	: 1,60,000
Color Rendering Index	: 95
Number of led	: 48
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle : Narrow focus technology using here

LED MAKE **OSRAM**

Imported German HD LENS used



OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

HOSPI VISION M4 HD



Technical Specification

Lux Power Intensity	: 1,60,000
Color Rendering Index	: 95
Number of led	: 48
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle : Narrow focus technology using here

LED MAKE OSRAM

Imported German HD LENS used

OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA

Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI VISION 4 HD



Technical Specification

Lux Power Intensity	: 1,60,000
Color Rendering Index	: 95
Number of led	: 48
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle
	: Narrow focus technology using here

LED MAKE OSRAM
Imported German HD LENS used



OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI VISION 5+5 HD



Technical Specification

Lux Power Intensity	: 1,80,000 + 1,80,000
Color Rendering Index	: 95
Number of led	: 60+60
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle

LED MAKE OSRAM

OPERATED BY REMOTE CONTROL



Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI VISION 5 HD



Technical Specification

Lux Power Intensity	: 1,80,000
Color Rendering Index	: 95
Number of led	: 60
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle : Narrow focus technology using here



LED MAKE **OSRAM**

OPERATED BY REMOTE CONTROL

Yellow and white led combination


LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

HOSPI VISION M5 HD

**ALUMINIUM
BODY COMPLETE**



Technical Specification

Lux Power Intensity	: 1,80,000
Color Rendering Index	: 95
Number of led	: 60
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle : Narrow focus technology using here

LED MAKE **OSRAM**

OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI VISION 5 HD



Technical Specification

Lux Power Intensity	: 1,80,000
Color Rendering Index	: 95
Number of led	: 60
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle
LED MAKE OSRAM	: Narrow focus technology using here



OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA

Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

BUTTERFLY 4+4 HD



Technical Specification

Lux Power Intensity	: 1,60,000 + 1,60,000
Color Rendering Index	: 95
Number of led	: 60+60
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle

LED MAKE **OSRAM**

OPERATED BY REMOTE CONTROL



Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

BUTTERFLY 4 HD



Technical Specification

Lux Power Intensity	: 1,60,000
Color Rendering Index	: 95
Number of led	: 60
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle : Narrow focus technology using here



LED MAKE **OSRAM**

OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

BUTTERFLY M4 HD

**ALUMINIUM
BODY COMPLETE**



Technical Specification

Lux Power Intensity	: 1,60,000
Color Rendering Index	: 95
Number of led	: 60
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle : Narrow focus technology using here

LED MAKE **OSRAM**

OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA

Manufacture Of Surgical Lights


BUTTERFLY 4 HD

**ALUMINIUM
BODY COMPLETE**



Technical Specification

Lux Power Intensity	: 1,60,000
Color Rendering Index	: 95
Number of led	: 60
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle
LED MAKE OSRAM	: Narrow focus technology using here



OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI BUTTERFLY 5+5HD



Technical Specification

Lux Power Intensity	: 1,80,000 + 1,80,000
Color Rendering Index	: 95
Number of led	: 75+75
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle

LED MAKE OSRAM

OPERATED BY REMOTE CONTROL



Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI BUTTERFLY 5HD



Technical Specification

Lux Power Intensity	: 1,80,000
Color Rendering Index	: 95
Number of led	: 75
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle : Narrow focus technology using here



LED MAKE **OSRAM**

OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

HOSPI BUTTERFLY 5HD

**ALUMINIUM
BODY COMPLETE**



Technical Specification

Lux Power Intensity	: 1,80,000
Color Rendering Index	: 95
Number of led	: 75
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle : Narrow focus technology using here

LED MAKE **OSRAM**

OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI BUTTERFLY 5HD



Technical Specification

Lux Power Intensity	: 1,80,000
Color Rendering Index	: 95
Number of led	: 75
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle
LED MAKE OSRAM	: Narrow focus technology using here



OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**



HOSPI MAZiK 4+4 HD

Technical Data

Number of LED	48+48
Intensity	1,60,000 Lux
Diameter of Light	200mm
Spot Diameter	100-150 mm
Depth Lumination	10-15 cm
Colour Temp.	4350K
Colour Rendering Index	91 Ra
Focusing	Focusing adjustable
LED Average Life	>50000 Hrs.
Intensity Control	10-100 Digital
Power Supply	220V/50Hz AC
Power	50 Watt



OPERATED BY REMOTE CONTROL

LED MAKE OSRAM

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights



HOSPI MAZIK 4 HD

Technical Data

Number of LED	48
Intensity	1,60,000 Lux
Diameter of Light	200mm
Spot Diameter	100-150 mm
Depth Lumination	10-15 cm
Colour Temp.	4350K
Colour Rendering Index	91 Ra
Focusing	Focusing adjustable
LED Average Life	> 50000 Hrs.
Intensity Control	10-100 Digital
Power Supply	220V/50Hz AC
Power	50 Watt



OPERATED BY REMOTE CONTROL

LED MAKE **OSRAM**

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights



HOSPI MAZiK M4 HD

Technical Data

Number of LED	48
Intensity	1,60,000 Lux
Diameter of Light	200mm
Spot Diameter	100-150 mm
Depth Lumination	10-15 cm
Colour Temp.	4350K
Colour Rendering Index	91 Ra
Focusing	Focusing adjustable
LED Average Life	>50000 Hrs.
Intensity Control	10-100 Digital
Power Supply	220V/50Hz AC
Power	50 Watt

LED MAKE **OSRAM**

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

ALUMINIUM
BODY COMPLETE



HOSPI MAZiK 4 HD

Technical Data

Number of LED	48
Intensity	1,60,000 Lux
Diameter of Light	200mm
Spot Diameter	100-150 mm
Depth Lumination	10-15 cm
Colour Temp.	4350K
Colour Rendering Index	91 Ra
Focusing	Focusing adjustable
LED Average Life	>50000 Hrs.
Intensity Control	10-100 Digital
Power Supply	220V/50Hz AC
Power	50 Watt



OPERATED BY REMOTE CONTROL

LED MAKE **OSRAM**

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI MAZiK 5+5 HD



Technical Specification

Lux Power Intensity	: 1,80,000 + 1,80,000
Color Rendering Index	: 95
Number of led	: 60+60
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle

LED MAKE **OSRAM**

OPERATED BY REMOTE CONTROL



Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI MAZiK 5 HD



Technical Specification

Lux Power Intensity	: 1,80,000
Color Rendering Index	: 95
Number of led	: 60
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle : Narrow focus technology using here



LED MAKE **OSRAM**

OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI MAZiK M5 HD



Technical Specification

Lux Power Intensity	: 1,80,000
Color Rendering Index	: 95
Number of led	: 60
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle : Narrow focus technology using here

LED MAKE **OSRAM**

OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI MAZiK 5 HD



Technical Specification

Lux Power Intensity	: 1,80,000
Color Rendering Index	: 95
Number of led	: 60
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle
LED MAKE OSRAM	: Narrow focus technology using here



OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI MAZIK 3+3 HD



Technical Specification

Lux Power Intensity	: 1,20,000 + 1,20,000
Color Rendering Index	: 95
Number of led	: 36+36
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle

LED MAKE **OSRAM**

OPERATED BY REMOTE CONTROL



Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

HOSPI MAZIK M3 HD

**ALUMINIUM
BODY COMPLETE**



Technical Specification

Lux Power Intensity	: 1,20,000
Color Rendering Index	: 95
Number of led	: 36
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle : Narrow focus technology using here

LED MAKE **OSRAM**

OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI MAZIK 3 HD



Technical Specification

Lux Power Intensity	: 1,20,000
Color Rendering Index	: 95
Number of led	: 36
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle
LED MAKE OSRAM	: Narrow focus technology using here



OPERATED BY REMOTE CONTROL

Yellow and white led combination


LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture of surgical lights

HOSPI DESIRE 54+54

**ALUMINIUM
DOME**



Technical Specification

Lux Power Intensity	: 1,50,000 + 1,50,000
Color Rendering Index	: 95
Number of led	: 54 + 54
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Fix Focus

LED MAKE **OSRAM**

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI DESIRE 54

**ALUMINIUM
DOME**



Technical Specification

Lux Power Intensity	: 1,50,000
Color Rendering Index	: 95
Number of led	: 54
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Fix Focus

LED MAKE **OSRAM**



Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture of surgical lights

HOSPI DESIRE 54



Technical Specification

Lux Power Intensity	: 1,50,000
Color Rendering Index	: 95
Number of led	: 54
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Fix Focus

LED MAKE **OSRAM**

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI DESIRE 54



Technical Specification

Lux Power Intensity	: 1,50,000
Color Rendering Index	: 95
Number of led	: 54
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Fix focus

LED MAKE **OSRAM**



Yellow and white led combination

LED OPERATION THEATER LIGHT



**ALUMINIUM
DOME**


HOSPI DESIRE 36 + 36



Technical Specification

Lux Power Intensity	: 1,20,000 + 1,20,000
Color Rendering Index	: 95
Number of led	: 36 + 36
Size of light field.	: 10 - 15mm
Colour Temp.	: 5200K
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 110-220 Drive by 24 volt
Focusing	: Fix

LED MAKE **OSRAM**



Yellow and white led combination

LED OPERATION THEATER LIGHT




HOSPI DESIRE 36



Technical Specification

Lux Power Intensity	: 1,20,000
Color Rendering Index	: 95
Number of led	: 36
Depth Lumination	: 10 - 15mm
Colour Temp.	: 5200K
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 110-220 Drive by 24 volt
Focusing	: Fix



Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI M DESIRE 36



Technical Specification

Lux Power Intensity	: 1,20,000
Color Rendering Index	: 95
Number of led	: 36
Size of light field.	: 10 - 15mm
Colour Temp.	: 5200K
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 110-220 Drive by 24 volt
Focusing	: Fix

LED MAKE **OSRAM**

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA

Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI ECO 35



Technical Specification

Lux Power Intensity	: 1,00,000 + 1,00,000
Color Rendering Index	: 95
Number of led	: 35+35
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle

LED MAKE OSRAM

Imported German HD LENS used



OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI ECO 35



Technical Specification

Lux Power Intensity	: 1,00,000
Color Rendering Index	: 95
Number of led	: 35
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle : Narrow focus technology using here

LED MAKE OSRAM

Imported German HD LENS used



OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

HOSPI ECO M 35

**ALUMINIUM
BODY COMPLETE**



Technical Specification

Lux Power Intensity	: 1,00,000
Color Rendering Index	: 95
Number of led	: 35
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle : Narrow focus technology using here

LED MAKE OSRAM

Imported German HD LENS used

OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA

Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI ECO 35



Technical Specification

Lux Power Intensity	: 1,00,000
Color Rendering Index	: 95
Number of led	: 35
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle
	: Narrow focus technology using here

LED MAKE OSRAM
Imported German HD LENS used



OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA

Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI ECO 28+28



Technical Specification

Lux Power Intensity	: 90,000 + 90,000
Color Rendering Index	: 95
Number of led	: 28+28
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle

LED MAKE OSRAM

Imported German HD LENS used



OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI ECO M 28



Technical Specification

Lux Power Intensity	: 90,000
Color Rendering Index	: 95
Number of led	: 28
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle : Narrow focus technology using here

LED MAKE OSRAM

Imported German HD LENS used



OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

HOSPI ECO M 28

**ALUMINIUM
BODY COMPLETE**



Technical Specification

Lux Power Intensity	: 90,000
Color Rendering Index	: 95
Number of led	: 28
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle : Narrow focus technology using here

LED MAKE OSRAM

Imported German HD LENS used

OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA

Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI ECO 28



Technical Specification

Lux Power Intensity	: 90,000
Color Rendering Index	: 95
Number of led	: 28
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle
	: Narrow focus technology using here

LED MAKE OSRAM
Imported German HD LENS used



OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

HOSPI E-1 HEX

Technical Specification

Lux Power Intensity	: 60,000
Color Rendering Index	: 95
Number of led	: 19
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle : Narrow focus technology using here

LED MAKE **OSRAM**

OPERATED BY REMOTE CONTROL

Yellow and white led combination

**ALUMINIUM
BODY COMPLETE**



LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

HOSPI MAZiK 1

Technical Data

Number of LED	12
Intensity	50,000 Lux
Diameter of Light	200mm
Spot Diameter	100-150 mm
Depth Lumination	10-15 cm
Colour Temp.	4350K
Colour Rendering Index	91 Ra
Focusing	Fix
LED Average Life	>50000 Hrs.
Intensity Control	10-100 Digital
Power Supply	220V/50Hz AC
Power	12 Watt

LED MAKE **OSRAM**



LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

HOSPI VISION 1

Technical Data

Number of LED	12
Intensity	50,000 Lux
Diameter of Light	200mm
Spot Diameter	100-150 mm
Depth Lumination	10-15 cm
Colour Temp.	4350K
Colour Rendering Index	91 Ra
Focusing	Fix
LED Average Life	>50000 Hrs.
Intensity Control	10-100 Digital
Power Supply	220V/50Hz AC
Power	12 Watt

LED MAKE **OSRAM**



LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

HOSPI BUTTERFLY 1

Technical Data

Number of LED	20
Intensity	50,000 Lux
Diameter of Light	200mm
Spot Diameter	100-150 mm
Depth Lumination	10-15 cm
Colour Temp.	4350K
Colour Rendering Index	91 Ra
Focusing	Fix
LED Average Life	>50000 Hrs.
Intensity Control	10-100 Digital
Power Supply	220V/50Hz AC
Power	12 Watt

LED MAKE **OSRAM**



LED OPERATION THEATER LIGHT



HOSPI E-7 EXAMINATION

Technical Specification

Lux Power Intensity	: 25000/-
Color Rendering Index	: 95
Number of led	: 7
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: Not Available
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Fix

LED MAKE **OSRAM**



Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI HEX4



Technical Specification

Lux Power Intensity	: 1,25,000
Color Rendering Index	: 95
Number of led	: 76
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle : Narrow focus technology using here

LED MAKE **OSRAM**



OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA

Manufacture Of Surgical Lights


**ALUMINIUM
BODY COMPLETE**

BUTTERFLY 4



Technical Specification

Lux Power Intensity	: 1,30,000
Color Rendering Index	: 95
Number of led	: 84
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle
LED MAKE OSRAM	: Narrow focus technology using here



OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA

Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

MAZIK 4



Technical Specification

Lux Power Intensity	: 1,20,000
Color Rendering Index	: 95
Number of led	: 72
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle
LED MAKE OSRAM	: Narrow focus technology using here



OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**



Hospi PARI'S 80+80 mini

Technical Data

Number of LED	80+80
Intensity	1,50,000 Lux
Diameter of Light	200mm
Spot Diameter	100-150 mm
Depth Lumination	10-15 cm
Colour Temp.	4350K
Colour Rendering Index	91 Ra
Focusing	Adjustable focus
LED Average Life	>50000 Hrs.
Intensity Control	10-100 Digital
Power Supply	220V/50Hz AC
Power	50 Watt



OPERATED BY REMOTE CONTROL

LED MAKE OSRAM

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

Hospi PARI'S 80 mini

Technical Data

Number of LED	80
Intensity	1,50,000 Lux
Diameter of Light	200mm
Spot Diameter	100-150 mm
Depth Lumination	10-15 cm
Colour Temp.	4350K
Colour Rendering Index	91 Ra
Focusing	Adjustable focus
LED Average Life	>50000 Hrs.
Intensity Control	10-100 Digital
Power Supply	220V/50Hz AC
Power	50 Watt

LED MAKE **OSRAM**

OPERATED BY REMOTE CONTROL

Yellow and white led combination



LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights



Hospi PARI'S M 80 mini

Technical Data

Number of LED	80
Intensity	1,50,000 Lux
Diameter of Light	200mm
Spot Diameter	100-150 mm
Depth Lumination	10-15 cm
Colour Temp.	4350K
Colour Rendering Index	91 Ra
Focusing	Adjustable focus
LED Average Life	>50000 Hrs.
Intensity Control	10-100 Digital
Power Supply	220V/50Hz AC
Power	50 Watt

LED MAKE **OSRAM**

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI PARI'S 24



Technical Specification

Lux Power Intensity	: 1,20,000
Color Rendering Index	: 95
Number of led	: 24
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle : Narrow focus technology using here

LED MAKE OSRAM

Imported German HD LENS used



OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI PARI'S 24



Technical Specification

Lux Power Intensity	: 1,20,000
Color Rendering Index	: 95
Number of led	: 24
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle
	: Narrow focus technology using here

LED MAKE OSRAM
Imported German HD LENS used



OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI PARI'S 48MINI



Technical Specification

Lux Power Intensity	: 1,20,000
Color Rendering Index	: 95
Number of led	: 48
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle : Narrow focus technology using here

LED MAKE OSRAM

Imported German HD LENS used



OPERATED BY REMOTE CONTROL

Yellow and white led combination

LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA

Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

HOSPI PARI'S 48MINI



Technical Specification

Lux Power Intensity	: 1,20,000
Color Rendering Index	: 95
Number of led	: 48
Size of light field.	: 12-30 cm
Colour Temp.	: 4000-5000k
Dimming	: 10%---100%
LED Average Life	: >50000 Hrs
Power Supply	: 220/50hz
Focusing	: Adjustable focus by handle
	: Narrow focus technology using here

LED MAKE OSRAM
Imported German HD LENS used



OPERATED BY REMOTE CONTROL

Yellow and white led combination



CMYK Palette



HOSPI LIGHT INDIA

Manufacture Of Surgical Lights

OT TABLE ELECTRIC & MANUAL HOSPI TAB-1



HOSPI- Tab-1 C-arm compatible hydraulic operation table is suitable for all kind of surgeries, i.e. general surgery, vascular surgery, cardio, neurology, urology, gynecology, proctology, laparoscopy, traumatic surgery, plastic surgery and other. The base and column of the table is made of high quality medical stainless steel. We provide with height adjustment, lateral tilts, trendelenburg and flex-reflex, chair position, kidney bridge position.

SOME FEATURES OF THIS TABLE

- Entire Table made of stainless steel 304 grade
- Radio-Translucent Table Top for C-arm Xray
- Remote operated Height, Trendelenburg, Lateral Tilt, Flex/Reflex, Chair position back section
- Inbuilt Battery Backup
- Floor Locking by Foot pedal
- Additional Column Remote/Additional manual override
- Inbuilt Kidney Bridge De-Attachable Head, Leg and Pelvic section

OT TABLE ELECTRIC C-ARM HOSPI TAB-2

Technical Specification

Length of Table	: 1910 mm
Width of Table Top	: 522 mm
Height (Min-Max.)	: 750-1000 mm
Trendelenburg (Reg.)	: 25°
Lateral Tilt	: ± 20°
Head Section	: ± 60°
Back Section	: ± 60°
Leg Section	: 0° - 90°
Floor Locking System	: Manual
Battery Backup	: Optional



C-ARM HYDRAULIC HOSPI TAB-3

Technical Specification

Length of Table	: 1910 mm
Width of Table Top	: 522 mm
Height (Min-Max.)	: 750-1000 mm
Trendelenburg (Reg.)	: 25°
Lateral Tilt	: ± 20°
Head Section	: ± 60°
Back Section	: ± 60°
Leg Section	: 0° - 90°
Floor Locking System	: Manual
Battery Backup	: Optional



OT TABLE GYNE ELECTRO HOSPI TAB-4

Technical Specification

Length of Table	: 1910 mm
Width of Table Top	: 522 mm
Height (Min-Max.)	: 750-1000 mm
Trendelenburg (Reg.)	: 25°
Lateral Tilt	: ± 20°
Head Section	: ± 60°
Back Section	: ± 60°
Leg Section	: 0° - 90°
Floor Locking System	: Manual
Battery Backup	: Optional



STEEL QUALITY 304 MEDICAL GRADE STAINLESS STEEL

HOSPI LIGHT INDIA

Manufacture Of Surgical Lights

AN ISO 9001 : 2015, OHSAS 18001-14001
GMP CERTIFIED COMPANY



LED OPERATION THEATER LIGHT



HOSPI LIGHT INDIA
Manufacture Of Surgical Lights

**ALUMINIUM
BODY COMPLETE**

Hospi Desire 36

Technical Data

Number of LED	36
Intensity	1,20,000 Lux
Diameter of Light	200mm
Spot Diameter	100-150 mm
Depth Lumination	10-15 cm
Colour Temp.	4350K
Colour Rendering Index	91 Ra
Focusing	Adjustable focus
LED Average Life	>50000 Hrs.
Intensity Control	10-100 Digital
Power Supply	220V/50Hz AC
Power	50 Watt

LED MAKE **OSRAM**



OPERATED BY REMOTE CONTROL

Yellow and white led combination

Our Happy Customers



HOSPI LIGHT INDIA

Manufacture Of Surgical Lights

A -87 Budh Vihar Main Khanjrawalan Road
Near Hero Bike Showroom Delhi 110086

📞 9810715757. 9810815757. 9710715757

✉️ hospilights@gmail.com

🌐 www.hospilites.in

Authorised Dealer